NO RISK



POLARIS

REFLECT YOUR WAY



POLARIS

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 39-48 / 6-13

Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Reflector Textile
Lining Materials:
Blue Coolmax

Highlights:
Reflector Textile, Flexibility, Lighweight, ESD, Clima Cork System



VEGA

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 39-48 / 6-13

Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Reflector Textile
Lining Materials:
Blue Coolmax

Highlights:
Reflector Textile, Flexibility, Lighweight, ESD, Clima Cork System



AUSTIN

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-48 / 6-13



Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Reflector Textile
Lining Materials:
Blue Coolmax

Highlights:
Flexibility,
Lighweight,
Clima Cork System



MADISON

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-48 / 6-13



Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Reflector Textile
Lining Materials:
Blue Coolmax


Highlights:
Flexibility,
Lighweight,
Clima Cork System



APOLLO

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-48 / 6-13



Sole:
Double Density PU/TPU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Black Nubuck Leather

Lining Materials:
Orange Textile
Sympatex Membrane

Highlights:
Sympatex Membrane,
Clima Cork System,
Flexibility, Lighweight



SPIRIT

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 39-48 / 6-13



Sole:
Direct Injected
PU/Rubber
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Breathable Textile

Lining Materials:
Vadiconfort Textile

Highlights:
Flexibility, Lighweight,
ESD, 100% Metal Free,
Clima Cork System



FAITH

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 39-48 / 6-13



Sole:
Direct Injected
PU/Rubber
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Breathable Textile

Lining Materials:
Vadiconfort Textile


Highlights:
Flexibility, Lighweight,
ESD, 100% Metal Free,
Clima Cork System



SPRINTER

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 39-48 / 6-13



Sole:
3D Double density PU/ Nitril
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Full grain and split leather

Lining Materials:
Super Carbonium


Highlights:
ESD, ATOP System



RIDER

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 35-48 / 2 1/2-13



Sole:
3D Double density PU/ Nitril
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Full grain and split leather

Lining Materials:
Super Carbonium


Highlights:
ESD, Clima Cork System



JUMPER

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 35-48 / 2 1/2-13



Sole:
3D Double density PU/ Nitril
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Full grain and split leather

Lining Materials:
Sper Carbonium

Highlights:
ESD, Class 1



LEE

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12



Sole:
3D Double density PU/ Nitril
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Full grain and Nubuck Leather

Lining Materials:
Baltic High-tech textile


Highlights:
Toe box,
100% Metal-free,
Clima Cork System



CLAYTON

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12



ole:
3D Double density PU/ Nitril
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Full grain and Nubuck Leather

Lining Materials:
Baltic High-tech textile

Highlights:
Toe box,
100% Metal-free,
Clima Cork System



METRO

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-48 / 6-13

Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather
Lining Materials:
Baltic High-Tech Textile

Highlights:
Ankle Balance System (ABS), Clima Cork System



SUBWAY

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12

Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather
Lining Materials:
Baltic High-Tech Textile

Highlights:
Ankle Balance System (ABS), Clima Cork System



HENDRIX

EN ISO 20345:2011 CE - S1P

Sizes: 39-47 / 6-12

Sole:
Single Density PU/TPU
Protective Toe Cap:
Aluminium
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather Textile
Lining Materials:
Space Breathable Textile

Highlights:
Airpump insole, Clima Cork System



DAVIDSON

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12

Sole:
Single Density PU/TPU
Protective Toe Cap:
Aluminium
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather Textile
Lining Materials:
Space Breathable Textile

Highlights:
Airpump insole, Clima Cork System



HARLEY

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12

Sole:
Single Density PU/TPU
Protective Toe Cap:
Aluminium
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather Textile
Lining Materials:
Space Breathable Textile

Highlights:
Airpump insole, Clima Cork System



MEMPHIS

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12

Sole:
Double Density PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck and Floater Leather

Lining Materials:
Laser High-tech Textile

Highlights:
Toebox,
100% Metal Free
Clima Cork System
PU extra toe protection



JACKSON

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12

Sole:
Double Density PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck and Floater Leather

Lining Materials:
Laser High-tech Textile

Highlights:
Toebox,
100% Metal Free
Clima Cork System
PU extra toe protection



CLARK

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12

Sole:
Double Density PU/TPU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck and Floater Leather

Lining Materials:
Laser High-tech Textile

Highlights:
Toebox,
100% Metal Free
Clima Cork System



DARWIN

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12

Sole:
Double Density PU/TPU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck and Floater Leather

Lining Materials:
Laser High-tech Textile

Highlights:
Toebox,
100% Metal Free
Clima Cork System



HILLARY

EN ISO 20345:2011 CE - S3

Sizes: 39-47 / 6-12

Sole:
Double Density PU/TPU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Smooth Leather upper
Lining Materials:
Sympatex Waterproof

Highlights:
Toebox,
Airpump insole,
100% Metal-Free
Clima Cork System
Sympatex Membrane



ROBINSON

EN ISO 20345:2011 CE - S3

Sizes: 39-47 / 6-12

Sole:
Double Density PU/TPU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Flother Leather upper

Lining Materials:
Laser High-tech Textile

Highlights:
Toebox,
Airpump insole,
100% Metal-Free
Clima Cork System



ORLANDO

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12

Sole:
Double Density PU/TPU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather
Lining Materials:
Laser High-tech Textile

Highlights:
Toebox,
100% Metal Free,
Clima Cork System,
PVC Heel Protection
PU Extra Toe Protection



BALTIMORE

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12

Sole:
Double Density PU/TPU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather
Lining Materials:
Laser High-tech Textile

Highlights:
Toebox,
100% Metal Free,
Clima Cork System,
PVC Heel Protection
PU Extra Toe Protection



LOUISIANE

EN ISO 20345:2011 CE - S3

Sizes: 36-47 / 3-12

Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Nubuck Leather Upper
Lining Materials:
Cambrelle Breathable

Highlights:
Clima Cork System



NEBRASKA

EN ISO 20345:2011 CE - S3

Sizes: 36-47 / 3-12

Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Nubuck Leather Upper
Lining Materials:
Cambrelle Breathable


Highlights:
Clima Cork System



FLORIDA

EN ISO 20345:2011 CE - S3

Sizes: 39-47 / 6-12



Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Nubuck Leather Upper
Lining Materials:
Drilex Breathable


Highlights:
Clima Cork System



NEVADA

EN ISO 20347:2011 CE

Sizes: 39-47 / 6-12



Sole:
Double Density PU
Upper Raw Materials:
Nubuck Leather Upper
Lining Materials:
Drilex Breathable


Highlights:
Clima Cork System



BLACKROCK

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-48 / 6-13



Sole:
Double Density PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather
Lining Materials:
Drilex Textile

Highlights:
Clima Cork System
PU Extra Toe Protection
Width 12



CALIFORNIA

EN ISO 20345:2011 CE - S1

Sizes: 39-47 / 6-12



Sole:
Double Density PU
Protective Toe Cap:
Steel
Upper Raw Materials:
Nubuck Leather Upper
Lining Materials:
Drilex Breathable

Highlights:
Clima Cork System



Engineering Life



VADER

EN ISO 20345:2011 CE - S3 HRO SRC
IEC 61340-4-3 ESD Class1

Sizes: 39-48 / 6-13

Sole:
PU/Rubber
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Full Grain Leather, Lyliane hex

Lining Materials:
Grey Vadiconfort textile

Highlights:
Flexibility, Lighweight, ESD, Clima Cork System
100% Metal-Free



KENOBY

EN ISO 20345:2011 CE - S3 HRO SRC
IEC 61340-4-3 ESD Class1

Sizes: 39-48 / 6-13

Sole:
PU/Rubber
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Full Grain Leather, Lyliane hex

Lining Materials:
Grey Vadiconfort textile

Highlights:
Flexibility, Lighweight, ESD, Clima Cork System
100% Metal-Free



WAVE

EN ISO 20345:2011 CE - S3 SRB
IEC 61340-4-3 ESD Class1

Sizes: 39-48 / 6-13

Sole:
Direct Injected PU/TPU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Black Laser WR Textile
Lining Materials:
Blue Dermodry Textile

Highlights:
Flexibility,
Lighweight,
ESD,
Clima Cork System



GEO

EN ISO 20345:2011 CE - S3 SRB
IEC 61340-4-3 ESD Class1

Sizes: 39-48 / 6-13

Sole:
Direct Injected PU/TPU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Black Laser WR Textile
Lining Materials:
Blue Dermodry Textile

Highlights:
Flexibility,
Lighweight,
ESD,
Clima Cork System



ICELANDICC

EN ISO 20345:2011 CE - S3 CI SRC

Sizes: 39-48 / 6-13



Sole:
Direct Injected Double Density PU
Protective Toe Cap:
Composite
Protective Midsole:
Steel
Upper Raw Materials:
Full Grain Leather

Lining Materials:
Lambskin

Highlights:
Sympatex Membrane, Clima Cork System



PATROL

EN ISO 20345:2011 CE - O2 HRO SRC

Sizes: 36-47 / 3-12



Sole:
Direct Injected PU/ Rubber
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Black Cambrelle Textile

Highlights:
100% Metal-Free, Clima Cork System



E02

EN ISO 20345:2011 CE - S3 HRO SRC
IEC 61340-4-3 ESD Class1

Sizes: 35-48 / 2 1/2-13

Sole:
Double Density PU/ Rubber
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather

Lining Materials:
Black Pacific Textile

Highlights:
Flexibility,
Lighweight,
ESD,
Clima Cork System



E10 BLACK

EN ISO 20345:2011 CE - S3 HRO SRC
IEC 61340-4-3 ESD Class1

Sizes: 35-48 / 2 1/2-13

Sole:
Double Density PU/ Rubber
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather

Lining Materials:
Black Pacific Textile

Highlights:
Flexibility,
Lighweight,
ESD,
Clima Cork System



GREEN LIGHT

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 36-47 / 3-12



Sole:
Direct Injected Double Density PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather and Cordura

Lining Materials:
Grey Pacific Textile

Highlights:
Toe Box
Flexibility, Lighweight,
ESD,
100% Metal-Free,
Clima Cork System



AVATAR

EN ISO 20345:2011 CE - S3 SRA

Sizes: 33-47 / 1-12



Sole:
Eva + VIBRAM rubber
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Cordura
Lining Materials:
Black Drylex Textile

Highlights:
Flexibility,
Lighweight,
VIBRAM SOLE



INDY

EN ISO 20345:2011 CE - S3 SRC

Sizes: 36-47 / 3-12



Sole:
Direct Injected Double Density PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather and Cordura

Lining Materials:
Grey Pacific Textile


Highlights:
Toe Box
Flexibility, Lighweight, 100% Metal-Free, Clima Cork System



INDIANAPOLIS

EN ISO 20345:2011 CE - S3 SRC

Sizes: 36-47 / 3-12



Sole:
Direct Injected Double Density PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather and Cordura

Lining Materials:
Grey Pacific Textile

Highlights:
Toe Box
Flexibility, Lighweight, 100% Metal-Free, Clima Cork System



EXPLORATION LOW

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-48 / 6-13

Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Aquatex Waterproof

Highlights:
Aquatex Waterproof,
Clima Cork System



EXPLORATION HIGH

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-48 / 6-13

Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Aquatex Waterproof

Highlights:
Aquatex Waterproof,
Clima Cork System


LAVORO
Engineering Life



JAMOR

EN ISO 20345:2011 CE - S3 SRA

Sizes: 39-48 / 6-13



Sole:
Direct Injected Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Black Matrix Kevlar, Black Aniline Leather, Blue Avatar and Black Nubuck

Lining Materials:
Black Pacific Textile and Black Drylex Textile


Highlights:
Sole Design,
Clima Cork System



ESTORIL

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 36-47 / 3-12



Sole:
Double Injected PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Full Grain Leather and Suede Leather

Lining Materials:
Gray Vadiconfort and Black Pacific Textile


Highlights:
Flexibility,
Lighweight,
ESD,
Clima Cork System



MONZA

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 36-47 / 3-12



Sole:
Double Injected PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Full Grain Leather and Suede Leather

Lining Materials:
Gray Vadiconfort and Black Pacific Textile

Highlights:
Flexibility,
Lighweight,
ESD,
Clima Cork System



STOCKOLM

EN ISO 20345:2011 CE - S3 HRO

Sizes: 39-47 / 6-12



Sole:
Rubber
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Cow aniline Leather

Highlights:
Clima Cork System



NEW BARCELONA

EN ISO 20345:2011 CE - S3 HRO SRC

Sizes: 39-47 / 6-12



Sole:
Direct Injected PU/ Rubber
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Black Printed Leather

Lining Materials:
Grey Vadiconfort Textile

Highlights:
Sole 300°C resistent,
Clima Cork System



PROTECTOR

EN ISO 20345:2011 CE - S3 HRO SRC

Sizes: 39-47 / 6-12



Sole:
Direct Injected PU/ Rubber
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Black Printed Leather

Lining Materials:
Black Cambrelle Textile

Highlights:
Sole 300°C resistent,
Clima Cork System



X5 XXL

EN ISO 20345:2011 CE - S3 SRC

Sizes: 48-53 /13-17

Sole:
Direct Injected PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Yellow Aerplus Textile

Highlights:
100% Metal-Free,
Clima Cork System



ML XXL

EN ISO 20345:2011 CE - S3 SRC

Sizes: 48-53 /13-17

Sole:
Direct Injected PU
Protective Toe Cap:
Composite
Protective Midsole:
Kevlar
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Yellow Aerplus Textile

Highlights:
100% Metal-Free,
Clima Cork System



SHERWOOD

EN ISO 20345:2011 CE - S3 HRO SRA
EN ISO 17249:2013 CLASSE 3

Sizes: 39-47 / 6-12



Sole:
Direct Injected PU/ Rubber
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Full Grain Leather

Lining Materials:
Sympatex Membrane

Highlights:
Chainsaw Protection, Sympatex Membrane, Clima Cork System



THOR

EN ISO 20345:2011 CE - S3 HRO SRC CI HI WR

Sizes: 39-47 / 6-12



Sole:
Direct Injected PU+ VIBRAM Rubber
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Crazy Horse Leather

Lining Materials:
Sympatex Membrane

Highlights:
Sympatex Membrane, Clima Cork System



CAMBRIDGE

EN I20347:2012 CE O2 SRC

Sizes: 39-47 / 6-12



Sole:
Double Density PU
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Grey Cow Aniline Leather

Highlights:
Clima Cork System



OXFORD

EN ISO 20345:2011 CE - S3 SRC

Sizes: 39-47 / 6-12



Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Grey Cow Aniline Leather

Highlights:
Clima Cork System


LAVORO®
woman



GEENA

EN ISO 20345:2011 CE - S2P SRC
IEC 61340-4-3 ESD Class1

Sizes: 36-42 / 3-8

Sole:
Direct Injected PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Grey Nubuck Leather
Lining Materials:
Black Pacific Textile

Highlights:
Lighweight,
ESD,
Clima Cork System



GRACE

EN ISO 20345:2011 CE - S2P SRC
IEC 61340-4-3 ESD Class1

Sizes: 36-42 / 3-8

Sole:
Direct Injected PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Pig Leather

Highlights:
Lighweight,
ESD,
Clima Cork System



MELISSA

EN ISO 20345:2011 CE - S2P SRC

Sizes: 36-42 / 3-8



Sole:
Direct Injected PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Brown Pacific Textile

Highlights:
Lighweight,
Clima Cork System



SANDY

EN ISO 20345:2011 CE - S2P SRC

Sizes: 36-42 / 3-8



Sole:
Direct Injected PU
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Pig Leather


Highlights:
Lighweight,
Clima Cork System



MICHELLE

EN ISO 20345:2011 CE - S3 HRO SRC
IEC 61340-4-3 ESD Class1

Sizes: 35-42 / 2 1/2-8



Sole:
Double Density PU/ Rubber
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather

Lining Materials:
Black Pacific Textile

Highlights:
Sole 300°C resistent
Flexibility,
Lighweight,
ESD,
Clima Cork System





E16 HONEY



E17 BROWN



E18 BLUE

E10 BLACK

EN ISO 20345:2011 CE - S3 HRO SRC
IEC 61340-4-3 ESD Class1

Sizes: 35-42 / 2 1/2-8



Sole:
Double Density PU/ Rubber
Protective Toe Cap:
Steel
Protective Midsole:
Kevlar
Upper Raw Materials:
Nubuck Leather

Lining Materials:
Black Pacific Textile

Highlights:
Sole 300°C resistent
Flexibility,
Lighweight,
ESD,
Clima Cork System



PORTCAIL.
shoes from Portugal



VISEU

EN ISO 20345:2011 CE - S3 SRC
IEC 61340-4-3 ESD Class1

Sizes: 36-47 / 3-12



Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Grey Pacific Textile



GUARDA

EN ISO 20345:2011 CE - S3 SRC

Sizes: 36-47 / 3-12



Sole:
Double Density PU
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Grey Pacific Textile



Go
Safe



ECO BAU

EN ISO 20345:2011 CE - S3 SRC


Sizes: 39-47 / 6-12




Sole:
Direct injected PU
Protective Toe Cap:
Steel
Protective Midsole:
Steel
Upper Raw Materials:
Full Grain Leather
Lining Materials:
Pacific Textile

Highlights:
Clima Cork System

TECHNICAL


STEEL TOE CAP


STEEL MIDSOLE


ANTISTATIC




100% NON METALIC SHOE



WATERPROOF MEMBRANE


ECLUSIVE PU OUT SOLE


COMPOSITE TOE CAP



KEVLAR MIDSOLE


FUEL / OIL RESISTANT SOLE




CHAINSAW PROTECTION




WATERPROOF MEMBRANE



EXCLUSIVE TOE BOX


ALUMINIUM TOE CAP



COMPOSITE / KEVLAR MIDSOLE


ANTI SLIP SOLE


ESD
(ELECTRO STATIC DISSIPATIVE)




COLD INSULATION


RESPONSIVE SHOCK ABSORPTION


WATER RESISTANT


100% RECYCLABLE



SHOCK ABSORVER



SOLE RESISTANT TO 300°


LAMBSKIN



CLIMA CORK SYSTEM

SBP - Basic Safety Protection 200 joules. Penetration resistance 1100 newtons.

S1 - 200 joules toe cap protection. Antistatic properties

S1P - 200 joules toe cap protection. Antistatic properties


S2 - 200 joules toe cap protection. Antistatic properties. Water penetration and water absorption resistance

S3 - 200 joules toe cap protection. Antistatic properties. Water penetration and water absorption resistance. Penetration resistance 1100 newtons.

HRO - Resistance to hot contact up to 300ºC

Sympatex / Aquatex - Waterproof membrane

EN ISO 20347:2012 - Occupational footwear


DEALER